



800 x 1600 MM

THE DESIGN
POSSIBILITIES
ARE ENDLESS



WHY TECHNO MARBLE

Technomarble, an intelligent innovation from the house of Seron is been considered as future against marble. With enhanced strength, large size, myriad designs and textures, flawless consistency and resistance to scratch, stains and bacteria it is touted as the next biggest invention. A slab equipped with superior features to beautify your interiors, cladding and flooring, it is an advancement setto revolutionize the tiles industry.



Waterproof Qualities



Hygienic Surfaces



Cleaning



Heat Resistant



Chemical Product Resistant



Breaking Strength



Unalterable Colours



Hardness




Environmental Friendly

BIG TILES FOR BIG IDEAS



HOW CAN YOU USE
TECHNOMARBLE
IN YOUR HOME



APPLICATIONS DESIGN
TOPS &
KITCHEN



APPLICATIONS DESIGN
TOPS &
BATHROOMS



APPLICATIONS DESIGN
DOORS &
SLIDING WALLS



APPLICATIONS DESIGN
INTERIOR
DECORATION



APPLICATIONS DESIGN
FLOORS
WALLS & CEILING



APPLICATIONS DESIGN
FACADE

CAN USE EVERYWHERE



Residential



Offices



Hotels



Facade



Schools



Hospitals



Train Stations



Restaurants



Airports



Industries



Supermarkets



Stores



Parks



Sport Areas



ULTRA SIZE

800 x 1600 MM



TAILORED

WITH ULTIMATE DESIGN



LIGHTEST

JUST 9 MM THICK



LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR




ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



NOVA CRYSTAL

800 X 1600 MM





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE

STONE PEBBLE

800 X 1600 MM





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



TRAVERTINO LIGHT

800 X 1600 MM





ONIX BEIGE



LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



ONIX BEIGE

800 X 1600 MM





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



BOTTOCHINO BRIGHT

800 X 1600 MM



 **TECHNO
MARBLE**





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



TAMPTATION BROWN

800 X 1600 MM



 **TECHNO
MARBLE**





PANDA WHITE



LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



PANDA WHITE

800 X 1600 MM





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



OPERA PEANUT

800 X 1600 MM



 **TECHNO
MARBLE**





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



OPERA TAWNY

800 X 1600 MM





ANTOLIA IVORY



LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



ANTOLIA IVORY

800 X 1600 MM





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



PIETRA SILVER

800 X 1600 MM





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY




COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE

PERSIAN GRANITE

800 X 1600 MM



 **TECHNO
MARBLE**





ROCK BROWN



LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



ROCK BROWN

800 X 1600 MM



 **TECHNO
MARBLE**





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



ROCK HARBOR

800 X 1600 MM



 **TECHNO
MARBLE**





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



ROCK CHOFFER

800 X 1600 MM





NERO VOLCANO



LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR





ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE

NERO VOLCANO

800 X 1600 MM



 **TECHNO
MARBLE**





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE

SARAN COLLIN

800 X 1600 MM



 **TECHNO
MARBLE**





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



PIETRA CLOUD

800 X 1600 MM





OPERA IVORY



LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



OPERA IVORY

800 X 1600 MM



 **TECHNO
MARBLE**





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



ANTOLIA SHIMMER

800 X 1600 MM





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



CREMA EUROPA

800 X 1600 MM



 **TECHNO
MARBLE**





LIGHT
WEIGHT



FACADES



RESIN-FREE



ZERO
MAINTENANCE



PRE-POLISHED



INSTALLATION
FRIENDLY



COMPACT BODY
/ HIGH MOR



ZERO POROSITY
ENSURING
ANTI-FUNGAL LIFE



PEATRA THUNDER

800 X 1600 MM





Standards according to ISO 13006: Annex G - EN 14411: Annex G. Dry - Pressed Ceramic Tiles.

QUALITY ITEMS	TECHNICAL FEATURE	STANDARD METHOD ISO	REQUIREMENTS		Values			
					Side < 1200 mm		Side ≥ 1200 mm	
DIMENSIONS AND SURFACE QUALITY	LENTH AND WIDTH THICKNESS STRAIGHTNESS OF SIDES RECTANGULARITY FLATNESS	UNI EN ISO 10545-2	%	mm	%	mm	%	mm
			±0,6%	±2,0	±0,2%	±2,0	±0,1%	±1,5
			±5%	±0,5	±5%	±0,5	±4%	±0,36
			±0,5%	±1,5	±0,2%	±1,5	±0,1%	±1,5
			±0,5%	±2,0	±0,33%	±1,5	±0,1%	±1,5
			±0,5%	±2,0	±0,26%	±1,5	±0,2%	±1,5
	SURFACE QUALITY	A minimum of 95% of the tiles shall be free from visible defects that would impair the appearance of a major area of tiles.		Compliant				
PHISICAL PROPERTIES	WATER ABSORPTION	UNI EN ISO 10545-3	E _s ≤ 0,5% Individual maximum : 0,6% (absorbed water mass)		E _s ≤ 0,2% (absorbed water mass)			
	BREAKING STRENGTH	UNI EN ISO 10545-4	Min 1300 N		≥ 2000 N			
	MODULUS OF RUPTURE		R ≥ 35 N/mm² minimum 32 Not applicable to tiles with breaking strength ≥ 3000 N		R ≥ 45 N/mm² minimum 40 Not applicable to tiles with breaking strength ≥ 3000 N			
	FROST RESISTANCE	UNI EN ISO 10545-12	Required		Compliant			
	SCRATCH HARDNESS (Mohs scale)	EN 101	Min 6		Compliant			
	SURFACE ABRASION	UNI EN ISO 10545-7	0 (100 cycles) 1 (150 cycles) 2 (600 cycles) 3 (1500 cycles) 4 (6000 cycles) 5 (> 12000 cycles)		5 (Maximum level)			
	COEFFICIENT OF LINEAR THERMAL EXPANSION FROM AMBIENT TEMPERATURE TO 100° C (K)	ISO 10545-8	Required		6 x 10 ⁻⁶ K ⁻¹ max			
	CRAZING RESISTANCE	ISO 10545-11	Required		Compliant			
	RESISTANCE TO THERMAL SHOCK	ISO 10545-9	10 Cycles Min		Compliant			
	IMPACT RESISTANCE	ISO 10545-5	Min 0,55		Compliant			
BULK DENSITY	DIN 51082	2,2 g/cc Min		Compliant				
CHEMICAL PROPERTIES	RESISTANCE TO STAINING	UNI EN ISO 10545-14	Minimum Class 3		5			
	RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	UNI EN ISO 10545-13	Minimum UB		GA (No visible effect)			
	RESISTANCE TO HIGH AND LOW CONCENTRATIONS OF ACIDS AND ALKALIS		To be reported		GLA - GHA (No visible effect)			
	SLIP RESISTANCE	DIN 51130			R10			
		DIN 51097						

Packaging info

Shipments to domestic markets (India)

Nominal	Thickness mm	Pcs. x box	Sq. mt x box	Weight x box (Kg)	Box x pallet	Sq. Mts x pallet	Pallet weight
80x160	9	2	2.56	55	35	44,63	937,30

Worldwide shipments

Nominal	Thickness mm	Pcs. x box	Sq. mt x box	Weight x box (Kg)	Box x pallet	Sq. Mts x pallet	Pallet weight
80x160	9	2	2.56	55	35	44,63	937,30

Size

Nominal Size cm	Actual Size cm
80x160	79,8x159,8